

Mycom FM 160M-M

Specifications

| Brand | Mycom |
|---------------------|-------------------------|
| Type | FM 160M-M |
| Refrigerant | Freon |
| kW at 0°C/+40°C | 445,7 |
| kW at -5°C/+40°C | 372,4 |
| kW at -10°C/+40°C | 308,7 |
| kW at -20°C/+40°C | 206 |
| kW at -30°C/+40°C | 130,8 |
| kW at -40°C/+40°C | 77,3 |
| Electromotor Specs | 110 |
| On steel base frame | ✓ |
| Liquid receiver | ✓ |
| Oil separator | 1 |
| Control panel | ✓ |
| Remarks | y.o.b. 2012 // |
| | Electromotor: 110 kW at |
| | 2965 RPM |
| Remarks | R404a - R22 or other |
| | freon types |
| Sizes | 2950x1250x2100 mm |
| | (LxWxH) |
| Stock | 1 |
| | |



Description

Used Mycom FM 160M-M

Used Mycom FM 160M-M freon compressor, complete with liquid receiver oil separator and control panel. This unit has a cooling capacity of 445,7 kW at 0°C/+40°C.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.



Your partner for used commercial and industrial refrigeration equipment











Your partner for used commercial and industrial refrigeration equipment







