

Mycom 200 SUD-HE

Specifications

Brand	Mycom
Туре	200 SUD-HE
Refrigerant	Freon
kW at $+10^{\circ}\text{C}/+40^{\circ}\text{C}$	964,9
kW at 0°C/+40°C	689,9
kW at -5ºC/+40ºC	577,5
kW at -10°C/+40°C	479,7
kW at -20ºC/+40ºC	322,2
kW at -30°C/+40°C	206,8
kW at -40°C/+40°C	124,7
Electromotor Specs	160 kW at 2960 RPM
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Control panel	✓
Remarks	R404a - R22 or other
	freon types
Package / Rack	/
Stock	1



Description

Used Mycom 200 SUD-HE

Used Mycom 200 SUD-HE freon compressor package, complete with pressure safety switches, pressure gauges, oil separator and control panel. This unit has a cooling capacity of 964.9 kW at $+10^{\circ}\text{C}/+40^{\circ}\text{C}$.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.































Your partner for used commercial and industrial refrigeration equipment







