

Mycom 160 SUD-HE

Specifications

Brand	Mycom
Type	160 SUD-HE
Refrigerant	Freon
kW at +10°C/+40°C	491,9
kW at 0°C/+40°C	351,1
kW at -5°C/+40°C	293,5
kW at -10°C/+40°C	243,4
kW at -20°C/+40°C	162,8
kW at -30°C/+40°C	103,7
kW at -40°C/+40°C	61,6
Electromotor Specs	90 kW at 2960 RPM
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Solenoid Valve	✓
Remarks	R404a - R22 or other freon types
Package / Rack	✓
Sizes	3600x1800x2350 mm (LxWxH)
Stock	1



Description

Used Mycom 160 SUD-HE

Used Mycom 160 SUD-HE freon compressor rack, complete with unloaded start, capacity control, pressure safety switches, pressure gauges, oil separator and solenoid valve. This unit has a cooling capacity of 491,9 kW at +10°C/+40°C.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.





