

Bitzer 4G.2

Specifications

Brand	Bitzer
Type	4G.2
Refrigerant	Freon
Refrigerant type	R 404 A or other types
kW at +10°C/+40°C	114*
kW at 0°C/+40°C	87,2
kW at -5°C/+40°C	72,2
kW at -10°C/+40°C	59,2
kW at -20°C/+40°C	38,4
kW at -30°C/+40°C	23,1
kW at -40°C/+40°C	12,5
Electromotor Specs	15
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	39
Liquid line filter drier	✓
Sight Glass	✓
Remarks	y.o.b. 2004 // *Capacity based on +7.5°C/+40°C // Electromotor: 15 kW at 1455 RPM // Pulley EM: 180 Comp: 220
Package / Rack	✓



Sizes	1400x1050x1400 mm (LxWxH)
-------	------------------------------

Stock	1
-------	---

Description

Used Bitzer 4G.2

Used Bitzer 4G.2 freon compressor rack, complete with pressure safety switches, pressure gauges, liquid line filter drier, sight glass and liquid receiver with a volume of 39 liters.

Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.



