

Bitzer 44CC-12.2 tank aggregate

Specifications

Brand	Bitzer
Туре	44CC-12.2 tank
	aggregate
Refrigerant	Freon
Refrigerant type	R 404 A or other types
kW at -5ºC/+40ºC	42,3
kW at -10°C/+40°C	34,9
kW at -20°C/+40°C	22,9
kW at -30°C/+40°C	14
kW at -40°C/+40°C	7,5
Capacity Control	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	35
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
Remarks	y.o.b. 2001
Package / Rack	✓
Sizes	1500x650x1000 mm
	(LxWxH)
Stock	1



Description

Used Bitzer 44CC-12.2 tank aggregate

Used Bitzer 44CC-12.2 tank aggregate, complete with capacity control, pressure safety switches, pressure gauges, oil separator, liquid line filter drier, sight glass and liquid receiver with a volume of 35 liters.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.



Your partner for used commercial and industrial refrigeration equipment













Your partner for used commercial and industrial refrigeration equipment

