

Mycom N4WB

Specifications

| Brand | Mycom |
|--------------------------|----------------|
| Туре | N4WB |
| Refrigerant | NH 3 (ammonia) |
| kW at -5°C/+40°C | 177,2 |
| kW at -10°C/+40°C | 142,4 |
| kW at -20°C/+40°C | 65.5 |
| Electromotor Specs | 55 |
| Unloaded Start | / |
| Capacity Control | / |
| On steel base frame | / |
| Pressure safety switches | / |
| Hp/Lp/Op | |
| Pressure gauges | / |
| Hp/Lp/Op | |
| Condensing pressure | / |
| switches | |
| Liquid receiver | / |
| Suction accumulator | / |
| Oil separator | / |
| Oil level system AC&R | / |
| Liquid line filter drier | / |
| Sight Glass | / |
| Solenoid Valve | / |
| Control panel | / |
| Weight in kg. | 1600+/- |
| Sizes | 2400x1300x1900 |
| | (LxWxH) |





Your partner for used commercial and industrial refrigeration equipment

Stock 1

Description

Used Mycom N4WB

Mycom N4WB Nh3 Ammonia compressor with eletric motor 55 kw 1470 RPM. This compressor is included with base steel frame, oil seperator and belt cover.

HOS BV www.hosbv.com info@hosbv.com (+31) (0)23-5404237



Your partner for used commercial and industrial refrigeration equipment













info@hosbv.com





