

Grasso RC 212E

Specifications

Brand	Grasso
Type	RC 212E
Refrigerant	NH 3 (ammonia)
kW at +10°C/+40°C	483
kW at 0°C/+40°C	323
kW at -10°C/+40°C	206
Electromotor Specs	90
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Package / Rack	✓
Sizes	2690x1100x2030mm (LxWxH)
Stock	1





Description

Used Grasso RC 212E

Used Grasso RC 212E piston compressor (Ammonia NH3) refrigeration.
Designed capacity. Evaporating temperature : -8°C Condensation temperature: 40°C Electromotor: 65,3kW Cooling capacity: 231kW. Our capacity table is based on the used type of NH3. You can also use this compressor on alternative types of NH3. For all the other specs (if available), see the picture of the manufacturer model plate or the attached pdf file. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and



arrange the logistics.





• Zuigercompressor in het hogedruk gedeelte

De technische gegevens van de compressor zijn :

Koelmiddel	:	NH3
Fabriek	:	Grasso
Type	:	RC 212 E
Koelcapaciteit	:	231 kW
Verdampingstemperatuur	:	-8°C
Condensatietemperatuur	:	40°C
Krachtverbruik	:	65,3 kW
Te installeren motorvermogen	:	90 kW
Toerental	:	1475 r.p.m.
Aandrijving	:	direct
Capaciteitsregeling	:	automatisch