Bitzer 4N.2 condensing unit

Specifications

Brand	Bitzer
Type	4N.2 condensing unit
Refrigerant	Freon
Refrigerant type	R 404 A or other types
kW at 0ºC/+40ºC	47.8
kW at -10ºC/+40ºC	32.9
kW at -20ºC/+40ºC	21.6
kW at -30ºC/+40ºC	13.3
kW at -40ºC/+40ºC	7.4
Electromotor Specs	11
On steel base frame	✓
Liquid receiver	✓
Remarks |	electromotor 11 kW / 1445 RPM
Condensing Unit	✓
Stock	1



Description

Used Bitzer 4N.2 condensing unit

Used, well maintened condensing unit with a Bitzer 4N.2 Open Type Reciprocating compressor and 11kW electromotor at 1445 RPM and 4 fans FMV Lamal S40-4PR23 and 1500 RPM. Our capacity table is based on the used type of Freon. You can also use this compressor on alternative types of Freon. For all the other specs, see the picture of the manufacturer model plate or the attached pdf file (if available) *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can

also arrange the logistics



BITZER KÜHLMASCHINENBAU GMBH & CO. KG
D 7032 SINDELFINGEN, W.-GERMANY
Bitzer
FABR.NR.
JAHR
PRÜF.Ü.DR.
bar
U/min
MAX.BETR.Ü.DR.
ND / HD - SEITE
bar


FABR. NR.
MEDIUM
BAUMUSTER
PRÜFÜBERDRUC
bar
BAU GMBH & CO. KG
EN. GERMANY


rotor-nl
ASYNCHR. MOT. 3~
Hz
V
A
/min.
kg
BEARINGS

FMV
Lamel
VILLIEU 01800 MEXIMIEUX
TYPE
REF N°
VOLTS
Hz
AMPERES
TR/mn
WATTS sur arbre
WATTS absorbés
made in FRANCE