


## Grasso RC 3111

### Specifications

Brand	Grasso
Type	RC 3111
Refrigerant	NH 3 (ammonia)
kW at -20°C/+40°C	130,7
kW at -30°C/+40°C	103,2
kW at -40°C/+40°C	61,6
Stock	1



### Description

#### Used Grasso RC 3111

Used Gea - Grasso RC 3111 two-stage compressor. For all the other specs (if available), see the picture of the manufacturer model plate or the attached pdf file. \*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*Optional we can also perform a new paint job and arrange the logistics



Technical data of Grasso two-stage compressors											
Delivery programme											
Series	Type	Cylinders						Rotational speed (min <sup>-1</sup> )		LP swept volume at max. speed (m <sup>3</sup> /h)	Standard part load steps expressed in percentage of full load LP swept volume (%)
		Bore (mm)	Stroke (mm)	Number		Volume ratio $\varphi$ $=z_1/z_2$					
				L.P.	H.P.						
							min.	max.			
RC3	RC219	110	85	2	1	2	600	1450	141 281	100 100-75-50	
	RC429			2	2	2					
RC11	RC2111	160	110	2	1	2	400	1000	265	100	
	RC3111			3	1	3			398	100-67	
	RC4211			4	2	2			531	100-80-60-40	
	RC5111			5	1	5			664	100-67-33	
	RC6311			6	3	2			926	100-80-60-40	
	RC7211			7	2	3.5			999	100-86-72-57-43-29	
	RC8411			8	4	2			1062	100-75-50-25	
	RC9311			9	3	3			1194	100-78-67-56-45-33	
	RC10211			10	2	5			1327	100-80-70-60-30-30	

RC 9
------

