

DWM DLLP 30X EWL condensing unit

Specifications

| Brand | DWM |
|----------------------|---------------------------|
| Туре | DLLP 30X EWL |
| | condensing unit |
| Refrigerant | Freon |
| kW at -20ºC/+40ºC | 6.53 |
| kW at -30ºC/+40ºC | 3.73 |
| kW at -40°C/+40°C | 1.70 |
| kW at -45°C/+40°C | 0.93 |
| On steel base frame | / |
| Liquid receiver | ✓ |
| Liquid receiver ltr. | 5.8 |
| Oil separator | / |
| m3 / h | 18.2 |
| Remarks | Our capacity table is |
| | based on Manufacturer |
| | spec. We would like to |
| | know which refrigerant is |
| | in your system |
| Weight in kg. | 91 |
| Condensing Unit | ✓ |
| Stock | 1 |
| | |



Description

Used DWM DLLP 30X EWL condensing unit

Used condensing unit, including a DWM - Copeland DLLP-30X-EWL Semi-hermetic piston compressor. For all the other specs, see the picture of the manufacturer model plate or the attached pdf file (if available) *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also arrange the logistics.



Your partner for used commercial and industrial refrigeration equipment







| tc \ te | -50 | -45 | -40 | -35 | -30 | -25 | -20 |
|---------|------|------|------|------|------|------|------|
| 20 | 1.41 | 2.20 | 3.18 | 4.35 | 5.76 | 7.41 | 9.33 |
| 25 | 1.12 | 1.88 | 2.81 | 3.93 | 5.26 | 6.83 | 8.65 |
| 30 | 0.83 | 1.56 | 2.44 | 3.50 | 4.75 | 6.23 | 7.95 |
| 35 | - | 1.24 | 2.07 | 3.06 | 4.24 | 5.63 | 7.25 |
| 40 | - | 0.93 | 1.70 | 2.63 | 3.73 | 5.02 | 6.53 |
| 45 | - | - | 1.34 | 2.20 | 3.21 | 4.41 | 5.81 |
| 50 | - | - | 1.00 | 1.78 | 2.70 | 3.80 | 5.09 |
| 55 | - | 14 | - | 1.37 | 2.21 | 3.20 | 4.37 |

| tc \ te | -50 | -45 | -40 | -35 | -30 | -25 | -20 |
|---------|------|------|------|------|------|------|------|
| 20 | 1.21 | 1.48 | 1.75 | 2.03 | 2.29 | 2.54 | 2.77 |
| 25 | 1.13 | 1.43 | 1.74 | 2.05 | 2.35 | 2.65 | 2.93 |
| 30 | 1.03 | 1.36 | 1.70 | 2.05 | 2.39 | 2.74 | 3.07 |
| 35 | - | 1.26 | 1.64 | 2.03 | 2.42 | 2.81 | 3.19 |
| 40 | - | 1.15 | 1.56 | 1.98 | 2.42 | 2.85 | 3.29 |
| 45 | - | - | 1.45 | 1.91 | 2.39 | 2.88 | 3.37 |
| 50 | - | - | 1.31 | 1.82 | 2.34 | 2.88 | 3.42 |
| 55 | - | | - | 1.70 | 2.26 | 2.85 | 3 45 |