


Grasso RC 412E

Specifications

Brand	Grasso
Type	RC 412E
Refrigerant	NH 3 (ammonia)
kW at -10°C/+40°C	325*
Electromotor Specs	VEM 50Hz 90kW
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Solenoid Valve	✓
Remarks	Y.o.b. 2000
Sizes	2600x1350x1800 mm
Stock	1






Description

Used Grasso RC 412E

Used GEA/Grasso RC 412E piston compressor unit ammonia. Complete with electromotor VEM type: KN7 280M 980RPM, oil separator. Capacity is based on -9°C/+32°C. Build in 2000.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





Verdichter				Motor(en)			
V1	V2	V3		VM1	VM2	VM3	
Hersteller:	Gram	Gram	Grasso	Hersteller:	VEM	VEM	Schorch
Type:	GSV 64	HC 6100	412 E	Type:	KP ER 315 M2	KP ER 315 M6.4	KN7 280M
Kältemittel:	R 717	R 717	R 717	Leistung:	132 kW	65/80 kW	90 kW
Kälteleistung: Qo	430 kW	255 kW	325 kW	Drehzahl:	3000 1/min	1000/500 1/min	1000 1/min
Baujahr:	2003	1998		Spannung:	400V /50Hz	400V /50Hz	400V /50Hz
to:	-9 °C	-9 °C	-9 °C	Nennstrom: A A	169 A
tc:	+32 °C	+32 °C	+32 °C	Schutzart: IP IP	23 IP
Betr.-Gew.: kg kg kg	Betr.-Gew.: kg kg kg
1				2			3