


# Grasso RC 911 Compressor package

## Specifications

|                          |                                 |
|--------------------------|---------------------------------|
| Brand                    | Grasso                          |
| Type                     | RC 911 Compressor package       |
| Refrigerant              | NH 3 (ammonia)                  |
| kW at +10°C/+40°C        | 1485,2                          |
| kW at 0°C/+40°C          | 994,1                           |
| kW at -5°C/+40°C         | 798,2                           |
| kW at -10°C/+40°C        | 627,7                           |
| Electromotor Specs       | Schorch 50Hz / 75 kW / 1460 RPM |
| On steel base frame      | ✓                               |
| Pressure safety switches | ✓                               |
| Hp/Lp/Op                 |                                 |
| Pressure gauges          | ✓                               |
| Hp/Lp/Op                 |                                 |
| Oil separator            | ✓                               |
| Sight Glass              | ✓                               |
| Package / Rack           | ✓                               |
| Sizes                    | 2100x1900x2050 mm (LxWxH)       |
| Stock                    | 1                               |



## Description

### Used Grasso RC 911 Compressor package

Used Grasso RC 911 compressor unit V-belt driven. Complete with electromotor Schorch 50Hz - 75 kW - 1460 RPM. Oil separator 114 ltr. Pressure safety switches and gauges. Cooling capacity is based on a different electromotor. The electromotor can be delivered in different capacity versions. \*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*Optional we can also arrange the logistics.

