

Mycom F4WB BB

Specifications

Brand	Mycom
Туре	F4WB BB
Refrigerant	NH 3 / Freon
kW at $+10^{\circ}\text{C}/+40^{\circ}\text{C}$	385,1
kW at 0°C/+40°C	266,1
kW at -5ºC/+40ºC	217,7
kW at - 10° C/+ 40° C	175,8
kW at -20°C/+40°C	108,7
Electromotor Specs	Leroy Somer P250MP-T
	50 Hz
On steel base frame	50 Hz
On steel base frame Pressure safety switches	✓
	✓
Pressure safety switches	✓
Pressure safety switches Hp/Lp/Op	/
Pressure safety switches Hp/Lp/Op Pressure gauges	/
Pressure safety switches Hp/Lp/Op Pressure gauges Hp/Lp/Op	/
Pressure safety switches Hp/Lp/Op Pressure gauges Hp/Lp/Op m3 / h	//381



Description

Used Mycom F4WB BB

Used Mycom 4-cylinder F4WB BB belt driven compressor. Elektromotor Leroy Somer 50 Hz - 90 kW - 1470 RPM. Compressor controller Mycom Mypro. Complete with safety pressure switches and gauges. Capacity is calculated on freon.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.



Your partner for used commercial and industrial refrigeration equipment
















Your partner for used commercial and industrial refrigeration equipment

