

## Lu-Ve XAV9X 8922 V/H EC 400

### **Specifications**

Brand	Lu-Ve
Туре	XAV9X 8922 V/H EC 400
Product type	Air Cooled Condenser
kW	304
Number of Fans	4
RPM of the Fans	610
Refrigerant	Freon
Air Flow in m³/h	64.000
diameter fans Ø	900 mm
Surface (m2)	631,2
Tube volume	87 dm³
Sizes	4750x2850x1400 mm
Remarks	y.o.b. 2013
Stock	1



### **Description**

#### Used Lu-Ve XAV9X 8922 V/H EC 400

Used and in very good condition Lu-Ve XAV9X 8922 V/H EC 400 air cooled condenser. Complete with 4 Ebmpapst fans 50/60 Hz - 0,625 kW - 610 RPM diameter 900 mm. \*All components of this used condensors will be tested on good working, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.



# Your partner for used commercial and industrial refrigeration equipment






exchanges LU-VE S.p.A. Via Caduti della Liberazione 53 21040 Uboldo (VA) Italy Fully Electronically Tested HEAT EXCHANGER Code 30159977 XAV9X 8922 V/H EC 400 + IS CODE: 10127490 S/N: 412910/2013 PED CAT I Fluid: R22-R134A R407C-R404A-R507 Volume 87.00dm<sup>3</sup> Ts: -10°C +55°C Max Pres 3MPa VENTILATION Nr. Motors 4 Tens. 400V 50/60Hz  $\triangle$ 625W 1,1A X DEFROSTING -11-N° N° 





# Your partner for used commercial and industrial refrigeration equipment





Modello	Туре	XAV9X		7922		8922		
Potenza	Capacity	kW (AT 15K)		264	220	304	244	
Portata d'aria	Air quantity	m³/h		68000	52000	64000	48000	
Assorbimento motori	on 8P Ø 900	W		3280	2080	3280	2080	
Motor power consumption		A		8,8	4,6	8,8	4,6	
Livello pressione sonora	Sound pressure level	dB (A)		47	40	47	40	
Attacchi	Connections	Ømm	Entrata-uscita Inlet-outlet	2 x 42/35 2		2 x 5	x 54/42	
Circuiti	Circuits	n°		2 x 27		2 x 39		
					000		00	