

## Goedhart VRZ-11458

### Specifications

|                   |                    |
|-------------------|--------------------|
| Brand             | Goedhart           |
| Type              | VRZ-11458          |
| kW                | 12,7               |
| Refrigerant       | Freon              |
| Number of Fans    | 1                  |
| Fin Space in mm   | 8                  |
| Defrosting        | None               |
| m <sup>3</sup> /h | 4.575              |
| Sizes             | 1250x950x670 mm    |
| Remarks           | y.o.b. 2016        |
| Volume            | 19 dm <sup>3</sup> |
| Weight            | 150 kg             |
| Stock             | 2                  |



### Description

#### Used Goedhart VRZ-11458

Used Goedhart VRZ-11458 draw through evaporator. 1 Ziehl Abegg fan 50 Hz - 0,54/0,36 kW - 1350/1020 RPM - diameter 450 mm.

\*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.




**Kelvion** Kelvion Refrigeration B.V.  
Nijverheidsweg 6, 4695 RC Sint Maartensdijk  
The Netherlands  
Tel: +31(0) 166 665 665 www.kelvion.com

|                       |                    |                 |                |
|-----------------------|--------------------|-----------------|----------------|
| Man.no:               | PJV160490          |                 |                |
| Type:                 | Goedhart VRZ-11458 |                 |                |
| Number:               | 2                  | of              | 2              |
| Year:                 | 2016               |                 |                |
| Client ref:           | 30209564-1         |                 |                |
| M:                    | 150                | kg              | TS: 55/-5 °C   |
| V:                    | 19                 | dm <sup>3</sup> | PS: 28 bar     |
|                       |                    |                 | PT: 40 bar     |
| Fluid:                | R-407F             |                 |                |
| Goedhart® air coolers |                    |                 | Made in the EC |







| VRZ - 11458                     |                                    |
|---------------------------------|------------------------------------|
| Refrigerant                     | R-407F DX                          |
| Capacity                        | kW 14,00                           |
| Air volume                      | m³/h 5.389                         |
| Air temperature In              | °C 0,0 (80,0%)                     |
| Air temperature Out             | °C -5,4 (95,2%)                    |
| Liquid temperature              | °C 30,0                            |
| Evaporation temperature         | °C -8,0                            |
| Frost Layer                     | mm 0,20                            |
| Surface Area                    | m² 67,6                            |
| Coil                            | SSS / Al                           |
| Fin spacing                     | mm 8,0                             |
| Liquid / Suction line           | mm 1 x 21,3 / 33,7                 |
| Finish                          | White                              |
| Sound pressure level - distance | dB(A)-(m) 55,1 @ 3,0 [+/- 2 dB(A)] |

