

Bitzer 4J-13.2Y-40P (x3) / 4CC-6.2Y-40S / 4CES-9Y-40S

Specifications

Brand	Bitzer				
Туре	4J-13.2Y-40P (x3) /				
	4CC-6.2Y-405 /				
	4CES-9Y-40S				
Refrigerant	Freon				
kW at -5ºC/+40ºC	171,9				
kW at -10ºC/+40ºC	141,5				
kW at -20ºC/+40ºC	92,3				
kW at -30ºC/+40ºC	56,1				
kW at -40ºC/+40ºC	31,7				
kW at -45ºC/+40ºC	20,6				
Capacity Control	1				
On steel base frame	1				
Control panel	1				
Remarks	y.o.b. 2010				
Package / Rack	1				
Sizes	3250x870x1900 mm				
Stock	1				



Description

Used Bitzer 4J-13.2Y-40P (x3) / 4CC-6.2Y-40S / 4CES-9Y-40S

Used Bitzer cool/freezing package containing the following elements: 3x Bitzer 4J-13.2Y-40P / Bitzer 4CC-6.2Y-40S and 4CES-9Y-40S compressors with head cooling. Control panel with F-control and Danfoss Adapkool drive.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.



Your partner for used commercial and industrial refrigeration equipment















Your partner for used commercial and industrial refrigeration equipment



	-Bi	tzer	>		Typ A S.Nr.	4CC-6	2Y-40S	
ITZER K		CHIN		U GMB	н			
Nennspannung		Frequ. Max.Befr.strom		Anlaufstrom		Fördervol.	Drehzahl	
VA 3Ph~		Hz	$A(\Delta)$	A (Y)	$A(\Delta)$	A (Y)	m³/h	min -1
220-240	380-420	50	27,5	15,9	141,8	82,4	32,5	1450
265-290	440-480	60	27,5	15,9	141,8	82,4	39,2	1750
	HD max.	19 /	28 bar	Partie -		A.C.	Star Sa	CE







Your partner for used commercial and industrial refrigeration equipment



