

Bitzer 66J-44.2Y Condensing unit

Specifications

| | |
|--------------------------|---------------------------|
| Brand | Bitzer |
| Type | 66J-44.2Y Condensing unit |
| Refrigerant | Freon |
| kW at -5°C/+40°C | 127,7 |
| kW at -10°C/+40°C | 105,2 |
| kW at -20°C/+40°C | 68,7 |
| kW at -30°C/+40°C | 41,8 |
| kW at -40°C/+40°C | 22,4 |
| kW at -45°C/+40°C | 15,0 |
| On steel base frame | ✓ |
| Pressure safety switches | ✓ |
| Hp/Lp/Op | |
| Pressure gauges | ✓ |
| Hp/Lp/Op | |
| Liquid receiver | ✓ |
| Liquid receiver ltr. | 105 |
| Oil separator | ✓ |
| Liquid line filter drier | ✓ |
| Sight Glass | ✓ |
| Control panel | ✓ |
| Condensing Unit | ✓ |
| Sizes | 4500x2210x2070 |
| Stock | 1 |



Description

Used Bitzer 66J-44.2Y Condensing unit

Used Bitzer condensing unit. Bitzer 66J-44.2Y tandem compressor with liquid receiver 105 ltr. Goedhart KB-H 187 M2 condensor with 2 Woods fans 50 Hz - 0,36/0,16 - 920/680 RPM.

Complete with control panel.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also arrange the logistics.





