

Bock HGX6/1080-4 S (x4) Package

Specifications

Brand	Bock
Type	HGX6/1080-4 S (x4) Package
Refrigerant	Freon
Refrigerant type	R404A or other types
kW at +10°C/+40°C	454.8
kW at 0°C/+40°C	3248.4
kW at -5°C/+40°C	284
kW at -10°C/+40°C	233.6
kW at -20°C/+40°C	151.20
kW at -30°C/+40°C	90.8
kW at -40°C/+40°C	48.40
kW at -45°C/+40°C	32.8
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	866
Oil separator	✓
Liquid line filter drier	✓
Remarks	454.8 kW is at +7.5°C/+40°C
Stock	1






Description


Used Bock HGX6/1080-4 S (x4) Package

Used Bock HGX6/1080-4 S (x4) compressor unit. Complete with liquid receiver 866ltr, oil separator, pressure vessel and pressure safety switches and gauges. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.









R404A/R507		Performance data										50 Hz		
Type	Cond. temp. °C	Cooling capacity \dot{Q}_0 [W]										Power consumption P_e [kW]		
		Evaporating temperature °C												
		7.5	5	0	-5	-10	-15	-20	-25	-30	-35	-40	-45	
HGXS1240-4	30	Q	133868	122554	102765	83399	68935	56229	45169	35643	27538	20744	15186	10634
		P	27,78	27,28	26,04	25,70	23,26	20,54	18,62	16,56	14,43	12,29	10,21	8,25
HGXS1240-4 S	40	Q	113720	104299	87122	71042	58440	47422	37874	29684	22741	16931	12143	8265
		P	33,36	30,38	26,24	21,42	17,14	12,68	10,13	8,53	7,49	6,49	5,57	4,68
	50	Q	94323	86295	71734	58323	47668	38420	30468	23698	17998	13257	9362	
		P	38,27	35,83	29,86	24,45	19,41	14,30	11,19	9,14	7,52	6,49	5,52	
max		Q								38742	30407	23329	17378	12423