

Frascold LBA-160-07-2M Condensing unit

Specifications

Brand	Frascold
Type	LBA-160-07-2M Condensing unit
Refrigerant	Freon
kW at 0°C/+40°C	4,29
kW at -5°C/+40°C	3,56
kW at -10°C/+40°C	2,93
kW at -20°C/+40°C	1,90
kW at -30°C/+40°C	1,12
kW at -40°C/+40°C	0,55
kW at -45°C/+40°C	0,33
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	1.5
Sight Glass	✓
m3 / h	5,47
Remarks	Y.O.B 2012
Sizes	800x620x550 mm (LxWxH)
Stock	1





Description

Used Frascold LBA-160-07-2M Condensing unit

Used Frascold condensing unit A 16 Y. Compressor type LBA-160-07-2M semi hermetic reciprocating compressor type A 16 Y , with 2 fans 0.75 kW and 1450 RPM.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. Optionally we can arrange your logistics when requested.





frascold Frascold S.p.A.
via Barbara Melzi 103/105 - 20027 Rescaldina (MI)
tel.+390331742201 fax.+390331576102

Matr. Serial n° 0H000564 **Tipo:** LBA-160-0Y-2M

Compressore: A 1 6 Y **Ventilatore:** USAF 1

Condensatore: USAC 15 M **Ricevitore:** USLR 02

Tipo olio: POE oil Frascold FC 32 cSt **Tensione:** 400 / 3 / 50

Fluido: Gruppo 2 **Tipo:** 0 **Anno:** 2012

PS	Pr. massima lato alta/bassa: High/low side max adm pr.:	30bar 20.5bar	Categoria PED: PED Category:	I
TS	Temp. ammissibile: Admissible temp. range:	-45°C +120°C	Modulo valutazione: Evaluation module:	A

frascold Frascold S.p.A.
via Barbara Melzi 103/105 - 20027 Rescaldina (MI)
tel.+390331742201 fax.+390331576102

Attrezzatura Component	Fabbricante Producer	Cat. Cat.	Matricola Serial no.
Compressore Compressor	Frascold	Art. 3.10	0H000564
Ricevitore Liquid receiver	Dena Line	I	59734886
Valvola Safety	Castel	IV	WY02443
taratura valvola Valve pr. setting		28 Bar	
Condensatore Condenser	HTS	Art. 3.3	0H000564
Filtro Filter	-	-	-
Separatore olio Oil separator	-	-	-