

# Güntner S-GFH 080.2A/2x5-L(D)-F6/2P

## Specifications

|                               |                                |
|-------------------------------|--------------------------------|
| Brand                         | Güntner                        |
| Type                          | S-GFH<br>080.2A/2x5-L(D)-F6/2P |
| Product type                  | Drycooler                      |
| kW                            | 522                            |
| Number of Fans                | 10                             |
| RPM of the Fans               | 680/530                        |
| Refrigerant                   | Freon                          |
| Air Flow in m <sup>3</sup> /h | 139.000                        |
| diameter fans Ø               | 800 mm                         |
| Surface (m <sup>2</sup> )     | 2.504                          |
| Tube volume                   | 336 dm <sup>3</sup>            |
| Sizes                         | 10050x2280x1850 mm<br>(LxWxH)  |
| Weight                        | 2033 kg                        |
| Remarks                       | y.o.b. 2010                    |
| Stock                         | 1                              |



## Description

### Used Güntner S-GFH 080.2A/2x5-L(D)-F6/2P

Used Guntner S-GFH 080.2A/2x5-L(D)-F6/2P drycooler low noise level design. Complete with 10 Ziehl-Abegg fans 50 Hz - 0,69/0,33 kW - 680/530 RPM - diameter 800 mm. Capacity is based on delta, at star the capacity is 417 kW.

\*All components of this used condensers will be tested on good working, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



(+31) (0)23-5404237

## Abmessungen

## Dimensions

| Größe<br><br>Size | Abmessungen<br>Dimensions |      |      |      |      |      |      |     |     |      |      |     |    |   | Anzahl der Röhren<br>No. of tubes | Ausführung<br>Design |
|-------------------|---------------------------|------|------|------|------|------|------|-----|-----|------|------|-----|----|---|-----------------------------------|----------------------|
|                   | GFV                       |      |      |      |      |      |      |     |     |      |      |     |    |   |                                   |                      |
|                   | L                         | B    | H    | L1   | LF   | B1   | BF   | H1  | R   | L1   | C    | R1  | B  |   |                                   |                      |
|                   | mm                        | mm   | mm   | mm   | mm   | mm   | mm   | mm  | mm  | mm   | mm   | mm  | mm |   |                                   |                      |
| 080.3A/Zx2        | 4300                      | 2291 | 1430 | 3705 | 3805 | 2155 | 2255 | 600 | 347 | 1900 | 2391 | 375 | —  | 4 | VIII / IX                         |                      |
| 080.3B/Zx2        | 5100                      | 2291 | 1430 | 4505 | 4605 | 2155 | 2255 | 600 | 347 | 2300 | 2391 | 375 | —  | 4 | VIII / IX                         |                      |
| 080.3A/Zx3        | 6200                      | 2291 | 1430 | 5605 | 5705 | 2155 | 2255 | 600 | 347 | 1900 | 2391 | 375 | —  | 4 | VIII / IX                         |                      |
| 080.3B/Zx3        | 7400                      | 2291 | 1430 | 6805 | 6905 | 2155 | 2255 | 600 | 347 | 2300 | 2391 | 375 | —  | 4 | VIII / IX                         |                      |
| 080.3A/Zx4        | 8100                      | 2291 | 1430 | 7505 | 7605 | 2155 | 2255 | 600 | 347 | 1900 | 2391 | 375 | —  | 4 | VIII / IX                         |                      |
| 080.3B/Zx4        | 9700                      | 2291 | 1430 | 9105 | 9205 | 2155 | 2255 | 600 | 347 | 2300 | 2391 | 375 | —  | 4 | VIII / IX                         |                      |
| 080.3A/Zx5        | 10000                     | 2291 | 1430 | 8702 | 8802 | 2155 | 2255 | 600 | 347 | 1900 | 2391 | 375 | —  | 6 | VIII / IX                         |                      |
| 080.3B/Zx5        | 12000                     | 2291 | 1430 | 9702 | 9802 | 2155 | 2255 | 600 | 347 | 2300 | 2391 | 375 | —  | 6 | VIII / IX                         |                      |
| 080.3A/Zx6        | 11900                     | 2291 | 1430 | 9652 | 9752 | 2155 | 2255 | 600 | 347 | 1900 | 2391 | 375 | —  | 6 | VIII / IX                         |                      |
| 090.2A/Zx2        | 4300                      | 2291 | 1460 | 3705 | 3805 | 2155 | 2255 | 600 | 347 | 1900 | 2391 | 375 | —  | 4 | VIII / IX                         |                      |
| 090.2B/Zx2        | 5100                      | 2291 | 1460 | 4505 | 4605 | 2155 | 2255 | 600 | 347 | 2300 | 2391 | 375 | —  | 4 | VIII / IX                         |                      |
| 090.2A/Zx3        | 6200                      | 2291 | 1460 | 5605 | 5705 | 2155 | 2255 | 600 | 347 | 1900 | 2391 | 375 | —  | 4 | VIII / IX                         |                      |
| 090.2B/Zx3        | 7400                      | 2291 | 1460 | 6805 | 6905 | 2155 | 2255 | 600 | 347 | 2300 | 2391 | 375 | —  | 4 | VIII / IX                         |                      |
| 090.2A/Zx4        | 8100                      | 2291 | 1460 | 7505 | 7605 | 2155 | 2255 | 600 | 347 | 1900 | 2391 | 375 | —  | 4 | VIII / IX                         |                      |
| 090.2B/Zx4        | 9700                      | 2291 | 1460 | 9105 | 9205 | 2155 | 2255 | 600 | 347 | 2300 | 2391 | 375 | —  | 4 | VIII / IX                         |                      |
| 090.2A/Zx5        | 10000                     | 2291 | 1460 | 8702 | 8802 | 2155 | 2255 | 600 | 347 | 1900 | 2391 | 375 | —  | 6 | VIII / IX                         |                      |
| 090.2B/Zx5        | 12000                     | 2291 | 1460 | 9702 | 9802 | 2155 | 2255 | 600 | 347 | 2300 | 2391 | 375 | —  | 6 | VIII / IX                         |                      |