

# Helpman LEX 26 E / 220-50-1

## Specifications

|                       |                            |
|-----------------------|----------------------------|
| Marca                 | Helpman                    |
| Tipo                  | LEX 26 E / 220-50-1        |
| Capacidad kW          | 22,8                       |
| Refrigerante          | Freon                      |
| Número de aficionados | 3                          |
| Fan del Espacio in mm | 7                          |
| Descongelación        | Electric                   |
| m <sup>3</sup> /h     | 14.000                     |
| Tamaños               | 2650x720x660 mm<br>(LxWxH) |
| Volume                | 30,9 dm <sup>3</sup>       |
| Peso                  | 159 kg                     |
| Stock                 | 2                          |




## Description

### Used Helpman LEX 26 E / 220-50-1

Used Helpman LEX 26 E evaporator. Complete with 3 ATB fan 50 Hz - 0,22 kW - 1330 RPM - diameter 450mm. \*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.



**HELPMAN**

Apparatenfabriek Helpman BV

Peizerweg 97

NL - 9727 AJ Groningen

|                            |                     |                 |  |
|----------------------------|---------------------|-----------------|--|
| Type                       | LEX 26 E / 220-50-1 |                 |  |
| Serial nr.                 | 704975              |                 |  |
| Medium                     | R22/R134a           |                 |  |
| Min/max workingtemperature | -40/55              | °C              |  |
| Design/testpressure        | 20/25               | bar             |  |
| Volume                     | 30.9                | dm <sup>3</sup> |  |
| Weight (empty)             | 159                 | kg              |  |
| GLADDE BUIS                |                     | 97              |  |



|                  |           |                    |       |
|------------------|-----------|--------------------|-------|
| <b>FLENDER</b>   |           | 1~Mot 71           |       |
| <b>ATB-LOHER</b> |           | 7819386 X 038      |       |
| ABFT71/4A-7R     |           | /R05 333977        |       |
| HELPMAN ART.NR   |           | 300820 CB8uF400VDB |       |
| WSK 130°C        |           |                    |       |
| Th.Cl. F IP55    |           | EN 60034           |       |
| ⊥                | 220-240 V | 2.65 A             |       |
| cos φ 0.90       | 0.22 kW   | 1330/min           | 50 Hz |
| ⊥                | 220-254 V | 1.83 A             |       |
| cos φ 0.90       | 0.22 kW   | 1630/min           | 60Hz  |

