

Bitzer 4G-20.2Y-40P (x2) & 4H-25.2Y-40P (x1)

Specifications

Marca	Bitzer
Tipo	4G-20.2Y-40P (x2) & 4H-25.2Y-40P (x1)
Refrigerante	Freon
kW at -5°C/+40°C	163,7
kW at -10°C/+40°C	135,1
kW at -20°C/+40°C	88,8
kW at -30°C/+40°C	54,4
kW at -40°C/+40°C	29,4
Sober Bancada	✓
Manómetros de Presion	✓
Separador de aceite	✓
Sistema de nivel de aceite	✓
Mirilla	✓
m3 / h	242,6
Comentarios	Y.O.B. 2008
Package / Rack	✓
Tamaños	2210x110x1430 mm (LxWxH)
Stock	1



Description

Used Bitzer 4G-20.2Y-40P (x2) & 4H-25.2Y-40P (x1)

Used Semi-hermetic reciprocating Bitzer 4G-20.2Y-40P compressor package with (2x) Bitzer 4G-20.2Y-40P and (1x) Bitzer 4H-25.2Y-40P. Complete with a Oil separator / Oil level system / Oil receiver / Control panel.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *If requested we are happy to arrange your logistics.









