

Bitzer 4G-20.2Y Tank aggregate

Specifications

Marca	Bitzer
Tipo	4G-20.2Y Tank aggregate
Refrigerante	Freon
Refrigerant type	R404A
kW at -5°C/+40°C	57,2
kW at -10°C/+40°C	47,3
kW at -20°C/+40°C	31,2
kW at -30°C/+40°C	19,2
kW at -40°C/+40°C	10.5
kW at -45°C/+40°C	7,2
Piston Descargador	✓
Presostatos	✓
Manómetros de Presion	✓
Recipiente de líquido	✓
Separador de aceite	✓
Sistema de nivel de aceite	✓
La línea de líquido filtro secador	✓
Mirilla	✓
m3 / h	84,5
Tamaños	1400x750x1200 mm (LxWxH)
Stock	1



Description

Used Bitzer 4G-20.2Y Tank aggregate

Used Bitzer 4G 20.2Y semi-hermetic reciprocating compressor. Complete with liquid receiver, liquid line filters and safety pressure switches and gauges.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.



