

Koma Multi-deck KMD-4-240-1500 tunnel freezer

Specifications

Marca	Koma
Tipo	Multi-deck KMD-4-240-1500 tunnel freezer
Capacidad	1.760 kg/h
Refrigerante	Freon
Tamaños	19.000 x 4.500 x 3.500 mm (LxWxH)
Belt specs	Intralox series 400 flush gold
Evaporator specifications	Goedhart LLK.P 187 M2
Tiers	4
height infeed / outfeed	In: 1000 mm, out: 2300 mm
Total effective belt length	60.000 mm
Effective belt width	2.380 mm
Stock	1



Description



Used Koma Multi-deck KMD-4-240-1500 tunnel freezer


Used and in good condition Koma Multi-deck KMD-4-240-1500 Z-profile freezer with 3x hand over of product. Effective belt width 2.380 mm and effective belt length 4 x 15.000 mm. Belt speed can vary between 0,07 m/min and 2,30 m/min. Belt drive motors 4x Flender drives and automation. 6x Evaporators from Goedhart LLK.p 187 M2 with a capacity of 27 kW at 25.000 m³/h per piece. Fans have a downblow of 45°C. This multi-deck comes with a complete installation. 6x Bitzer S6F-30.2Y-40P (x2) compressor set with liquid reciever, oil separator, filter, pressure safety switches and gauges. 6x Koma CAV L09 1x2A condensors with 2 fans. Installation complete with control panel with Somron sysdrive inverters.



This tunnel freezer is currently assembled in our warehouse as you can see in the last photo, ready for a viewing.


800 piece/h apple pie in 60 minutes (2200 grams/piece) +40°C to -18°C.

























Your partner for used commercial and
industrial refrigeration equipment
