

Trotec PAC 2600

Specifications

Marca	Trotec
Tipo	PAC 2600
Spec.	2,7 kW at +10°C/+40°C
Stock	11



Description

Used Trotec PAC 2600

Used Trotec PAC 2600 mobile air conditioner on Freon. Cooling capacity of 2.7 kW and temperature range 16-35 °C. with suction and blow-out hose. Not for sale in the Benelux.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also arrange the logistics.



Herstell.-Nr./Serial No.	0600393	TROTEC®
Type: PAC 2600	CE	52525 Heinsberg · Germany DE 99663130 Grebbener Str. 7 · www.trotec.de
Item No: KL7000305		
Nominal cooling capacity/Nennkühlleistung	2,6 kW	
Cooling capacity/Kühlleistung	2,7 kW	
Circulation air volume flow rate/ Umluftvolumenstrom	max. 420 m ³ /h	
Fan speeds/Ventilatorstufen	3	
Exhaust air volume flow rate/ Abluftvolumenstrom	max. 450 m ³ /h	
Refrigerant/Kältemittel	R 407 C	
Refrigerant quantity/Kältemittelmenge	700 g	
Operating range/Arbeitsbereich	16 - 35 °C	
Dehumidification capacity/Entfeuchtungsleistung	max. 1,6 l/h	
Sound pressure level/Schalldruckpegel	max. 52 dB (A)	
Voltage supply/ Spannungsversorgung	230 V/1~ Ph/50 Hz	
Nominal power consumption/Nennleistungsaufnahme	0,95 kW	
Power consumption/Leistungsaufnahme	1,12 kW	
Nominal current consumption/Nennstromaufnahme	4,5 A	
Current consumption/Stromaufnahme	5,45 A	
Energy efficiency variable/Energieeffizienzgröße	2,41	
Energy efficiency class/Energieeffizienzklasse	B	
Air outlet hose, length/Abluftschlauch, Länge	1250 mm	
Air outlet hose, diameter/Abluftschlauch, Ø	125 mm	
Dimensions, height / width/ depth/ Maße Höhe / Breite / Tiefe	855 / 510 / 400 mm	
Weight/Gewicht	38 kg	



