

Bitzer 6H-25.2Y-40P Tank aggregate

Specifications

Marca	Bitzer
Tipo	6H-25.2Y-40P Tank aggregate
Refrigerante	Freon
kW at -5°C/+40°C	74,7
kW at -10°C/+40°C	61,6
kW at -20°C/+40°C	40,4
kW at -30°C/+40°C	24,7
kW at -40°C/+40°C	13,4
Manómetros de Presion	✓
Recipiente de líquido	✓
La línea de líquido filtro secador	✓
Mirilla	✓
m3 / h	110,5
Comentarios	Y.o.b. 2003
Comentarios	Including 2 head fans
Tamaños	1600x1050x1000 mm (LxWxH)
Stock	1






Description

Used Bitzer 6H-25.2Y-40P Tank aggregate

Used Bitzer tank aggregate on Freon. Complete with 1 Bitzer 6H-25.2Y semi-hermetic reciprocating compressor and 2 Ziehl-Abegg fans: 50 Hz - 0,12 kW - 1410 RPM, Bitzer F 550T liquid receiver with a volume of 54 liter, liquid line filter drier, pressure safety switches and a sight glass.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if they passed our extensive test. If requested we are happy to arrange your shipment.







Your partner for used commercial and
industrial refrigeration equipment
