

Bitzer 6FE-44Y-40P (x1) & 6F-40.2Y (x2)

Specifications

Marca	Bitzer
Tipo	6FE-44Y-40P (x1) & 6F-40.2Y (x2)
Refrigerante	Freon
kW at -5°C/+40°C	307,5
kW at -10°C/+40°C	253,7
kW at -20°C/+40°C	166,6
kW at -30°C/+40°C	102,2
kW at -40°C/+40°C	55,6
kW at -45°C/+40°C	37,7
Sober Bancada	✓
Presostatos	✓
Manómetros del	✓
Condensador	
Recipiente de líquido	✓
Separador de aceite	✓
Sistema de nivel de aceite	✓
La línea de líquido filtro secador	✓
m3 / h	455,2
Package / Rack	✓
Tamaños	3750x1600x1720 mm (LxWxH)
Stock	1



Description

Used Bitzer 6FE-44Y-40P (x1) & 6F-40.2Y (x2)

Used Bitzer semi-hermetic reciprocating compressor rack on Freon. Complete with 1 Bitzer 6FE-44Y-40P & 2 6F-40.2Y compressors, Carly TURBOIL-F 15017 S/MMS oil separator, Carly HCYR 121 oil reservoir, liquid receiver and pressure and safety gauges. The compressors have a displacement of 455,2 m³/h together.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.





