

Bitzer 6H-35.2Y-40P (x2)

Specifications

Marca	Bitzer
Tipo	6H-35.2Y-40P (x2)
Refrigerante	Freon
kW at 0°C/+40°C	178,5
kW at -5°C/+40°C	148,2
kW at -10°C/+40°C	121,8
kW at -20°C/+40°C	79,2
kW at -30°C/+40°C	47,7
kW at -40°C/+40°C	25,0
Control de capacidad	✓
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Manómetros del	✓
Condensador	
Recipiente de líquido	✓
Recipiente de líquido ltr.	180
Separador de aceite	✓
Sistema de nivel de aceite	✓
La línea de líquido filtro secador	✓
Valvula Solenoide	✓
m3 / h	221,0
Comentarios	Y.o.b. 2009
Package / Rack	✓



	(LxWxH)
Standaard	1730x1350x2020 mm

Description

Used Bitzer 6H-35.2Y-40P (x2)

Used Bitzer 6H-35.2Y-40P semi-hermetic reciprocating compressor on Freon. Complete with a AC&R oil separator, AC&R S-9108U-CE oil reservoir, 2 Frigomec FL 90+2SGR7+2SV(R9/R9) liquid receivers, liquid line filter driers and a control cabinet with a Eckelmann VS300.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics













