

Bitzer 4DC-5.F1Y-40S

Specifications

Marca	Bitzer
Tipo	4DC-5.F1Y-40S
Refrigerante	Freon
kW at +10°C/+40°C	26,7*
kW at 0°C/+40°C	18,3*
kW at -5°C/+40°C	14,7*
kW at -10°C/+40°C	11,5*
kW at -20°C/+40°C	6,6*
Control de capacidad	✓
Sober Bancada	✓
Presostatos	✓
Manómetros del	✓
Condensador	
Recipiente de líquido	✓
Recipiente de líquido ltr.	26
La línea de líquido filtro	✓
secador	
Mirilla	✓
Panel de control	✓
m3 / h	26,9
Comentarios	Year of construction 2011
Comentarios	*Capacties are based on R134a, 80 Hz and at a ambient temperature of 40 degree Celsius
Peso kg.	303



Condensing Unit	✓
Tamaños	1450x600x1400 mm (LxWxH)
Stock	1

Description

Used Bitzer 4DC-5.F1Y-40S

Used Bitzer Ecostar Condensing Unit LHV6/4DC-5.F1Y-40S with a Bitzer 4DC-5.F1Y-40S semi-hermetic reciprocating compressor on Freon. Complete with liquid receiver, filter dryer and control panel. The compressor is inverter controlled and has a displacement of 26,9 m³/h. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics





