


Bitzer 6FE-44Y-40P

Specifications

Marca	Bitzer
Tipo	6FE-44Y-40P
Refrigerante	Freon
kW at 0°C/+40°C	126,6
kW at -5°C/+40°C	105,7
kW at -10°C/+40°C	87,5
kW at -20°C/+40°C	58,1
kW at -30°C/+40°C	36,3
kW at -40°C/+40°C	20,4
kW at -45°C/+40°C	14,3
Sober Bancada	✓
Sistema de nivel de aceite	✓
Mirilla	✓
m ³ / h	151,6
Comentarios	Y.o.b. 2016
Peso kg.	244
Tamaños	800x500x450 mm (LxWxH)
Stock	1





Description

Used Bitzer 6FE-44Y-40P

Overhauled Bitzer 6FE-44Y-40P semi-hermetic reciprocating compressor on Freon. The compressor has a displacement of 151,6 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.



Typ 6FE-44Y-40P
S.Nr. 1690501798

BITZER KÜHLMASCHINENBAU GMBH
Made in Germany

Nennspannung	Frequ.	Betr.strom	Anlaufstrom		Fördervol.	Drehzahl
V 3Ph~	Hz	A(max.)	A(Y)	A(YY)	m³/h	min ⁻¹
380-420	50	83.2	219	362	152	1450
440-480	60	83.2	219	362	183	1750

P 54 ND/HD max. 19 / 32 bar

Typ 6FE-44Y-40P
S.Nr. 1690501799

BITZER KÜHLMASCHINENBAU GMBH
Made in Germany

Nennspannung V 3Ph~	Frequ. Hz	Betr.strom A (max.)	Anlaufstrom A (Y)	A (YY)	Fördervol. m³/h	Drehzahl min ⁻¹
380-420	50	83.2	219	362	152	1450
440-480	60	83.2	219	362	183	1750

IP 54 ND/HD max. 19 / 32 bar

37502305

