

Bitzer 4VES-10Y-40P (x1) & 6H-25.2Y (x2)

Specifications

Marca	Bitzer
Tipo	4VES-10Y-40P (x1) & 6H-25.2Y (x2)
Refrigerante	Freon
kW at -5°C/+40°C	172,9
kW at -10°C/+40°C	142,2
kW at -20°C/+40°C	93,1
kW at -30°C/+40°C	56,4
kW at -40°C/+40°C	30,4
kW at -45°C/+40°C	20,6
Sober Bancada	✓
Sistema de nivel de aceite	✓
m3 / h	255,7
Comentarios	Bitzer 4VES-10Y-40P - Y.o.b. 2014
Comentarios	Bitzer 6H-25.2Y-40P - Y.o.b. 2008
Comentarios	Bitzer 6H-25.2Y - Y.o.b. 2001
Package / Rack	✓
Tamaños	1990x950x630 mm (LxWxH)
Stock	1




Description

Used Bitzer 4VES-10Y-40P (x1) & 6H-25.2Y (x2)

Used Bitzer 4VES-10Y-40P (x1) & 6H-25.2Y (x2) semi-hermetic reciprocating compressor rack on Freon with a AC&R Optronic electronic oil level system. The compressors have a total displacement of 255,7 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning.

*Optionally we can also perform a new paint job and arrange the logistics.




 Typ 4VES-10Y-40P
 S.Nr. 1686713935
 BITZER KÜHLMASCHINENBAU GMBH
 Made in E.C.

Nennspannung	Frequ.	Betr. strom	Anlaufstrom	Fördervol.	Drehzahl
V 3Ph~	Hz	A (max)	A (Y)	m³/h	min ⁻¹
380-420	50	19,9	59	34,7	1450
440-480	60	19,9	59	41,8	1750

IP 65 ND/HD max. 19 / 32 bar
 379228/05

CE

