

Bitzer 6F-40.2 Y

Specifications

Marca	Bitzer
Tipo	6F-40.2 Y
Refrigerante	Freon
kW at -5°C/+40°C	100,9
kW at -10°C/+40°C	83,1
kW at -20°C/+40°C	54,3
kW at -30°C/+40°C	33,0
kW at -40°C/+40°C	17,6
kW at -45°C/+40°C	11,7
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Recipiente de líquido	✓
Recipiente de líquido ltr.	160
Separador de aceite	✓
La línea de líquido filtro	✓
secador	
Mirilla	✓
m3 / h	151,6
Power	50Hz/60Hz 3Ph
Tamaños	1480x1150x2100 mm (LxWxH)
Stock	3



Description

Used Bitzer 6F-40.2 Y

Used semi-hermetic reciprocating Bitzer 6F-40.2 Y compressor pack on a steel frame. Complete with a Bitzer liquid receiver with volume of 160 liter, Temprite 926L oil separator and pressure ,safety switches/gauges. The displacement of the compressor is 151,6 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning.

*Optionally we can also perform a new paint job and arrange the logistics.



