

Bitzer 6G.2Y (x2) & 4N.2Y (x1)

Specifications

Marca	Bitzer
Tipo	6G.2Y (x2) & 4N.2Y (x1)
Refrigerante	Freon
kW at -5°C/+40°C	206,1
kW at -10°C/+40°C	169,9
kW at -20°C/+40°C	111,5
kW at -30°C/+40°C	68,2
kW at -40°C/+40°C	37,0
kW at -45°C/+40°C	25,0
Piston Descargador	✓
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Manómetros del	✓
Condensador	
Separador de aceite	✓
Sistema de nivel de aceite	✓
Valvula Solenoide	✓
m3 / h	373,7
Comentarios	SN: 1672714195 - Y.o.b. 2007
Comentarios	SN: 1666105748 - Y.o.b. 2004
Comentarios	SN: 1677105759 - Y.o.b. 2009
Package / Rack	✓



Tamaños	2900x1650x2000 mm (LxWxH)
---------	------------------------------

Stock	1
-------	---

Description

Used Bitzer 6G.2Y (x2) & 4N.2Y (x1)

Used Bitzer semi-hermetic reciprocating rack on Freon. Complete with a Bitzer 4N.2Y that has a Rotor KF180L25 electric motor - 50 Hz - 7,5/11 kW - 980/1470 RPM, Bitzer 6G.2Y (x2) both with a Rotor electric motor - 50 Hz - 30 kW - 1465 RPM, oil separator, oil reservoir, oil level regulator and pressure and safety switches/gauges. The compressor rack has a total displacement of 373,7 m³/h.
*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.
*Optional we can also perform a new paint job and arrange the logistics.





