

## DWM D6DJ5-400x-AWM/D (x4)

### Specifications

|                                    |                              |
|------------------------------------|------------------------------|
| Marca                              | DWM                          |
| Tipo                               | D6DJ5-400x-AWM/D (x4)        |
| Refrigerante                       | Freon                        |
| kW at 0°C/+40°C                    | 413,8                        |
| kW at -5°C/+40°C                   | 346,0                        |
| kW at -10°C/+40°C                  | 287,0                        |
| kW at -20°C/+40°C                  | 191,9                        |
| kW at -30°C/+40°C                  | 121,4                        |
| Sober Bancada                      | ✓                            |
| Separador de aceite                | ✓                            |
| Sistema de nivel de aceite         | ✓                            |
| La línea de líquido filtro secador | ✓                            |
| Mirilla                            | ✓                            |
| Valvula Solenoide                  | ✓                            |
| Panel de control                   | ✓                            |
| m3 / h                             | 508,0                        |
| Package / Rack                     | ✓                            |
| Tamaños                            | 4300x1350x1550 mm<br>(LxWxH) |
| Stock                              | 1                            |



### Description

#### Used DWM D6DJ5-400x-AWM/D (x4)

Used DWM D6DJ5-400X-AWM/D compressor rack on Freon. Complete with 4 DWM D6DJ5-400X-AWM/D semi-hermetic compressors each with their own Henry S-9108 CE oil separator, AC&R S-9108-CE oil reservoir, liquid line filter drier, control box with a Danfoss Frequency converter. The compressors have a total displacement of 508 m<sup>3</sup>/h.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*If requested we are happy to arrange your shipment.







