

Bitzer OSN7451-K (x3)

Specifications

Marca	Bitzer
Tipo	OSN7451-K (x3)
Refrigerante	Freon
kW at -20°C/+40°C	313,3
kW at -30°C/+40°C	212,9
kW at -40°C/+40°C	136,1
kW at -45°C/+40°C	105,0
Piston Descargador	✓
Control de capacidad	✓
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Recipiente de líquido	✓
Recipiente de líquido ltr.	320
Acumulador de succión	✓
Separador de aceite	✓
Sistema de nivel de aceite	✓
La línea de líquido filtro secador	✓
Mirilla	✓
m3 / h	576
Comentarios	Y.o.b. 2005



	condensor and evaporators.
Package/Back	Please note: we will only offer complete
Tamaños	2500x1200x2200mm
	blastfreezing solution
Stock	with capacity matching

Description

Used Bitzer OSN7451-K (x3)

Used Bitzer OSN7451-K (x3) open screw compressor rack with economizer on Freon. Complete with 3 Schorch KN7200M electric motors - 50 Hz - 45 kW - 2945 RPM, Bitzer OA 4088 oil separator with a volume of 88 liter, oil cooler, oil filter, suction accumulator, liquid receiver with a volume of 320 liter, pressure and safety switches/gauges. The compressors together have a displacement of 576 m³/h.

Please note: we will only offer this as complete blastfreezing solution with capacity matching condensor and evaporators.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.







