

Thermofin X-TACD.2-091-24-C-L-DE-BC-06

Specifications

Marca	Thermofin
Tipo	X-TACD.2-091-24-C-L-DE-BC-06
Tipo de producto	Air Cooled Condenser
Capacidad kW	450,0*
Número de aficionados	8
RPM de los ventiladores	800
Refrigerante	Freon
Flujo de aire in m³/h	138.000
ventiladores de diámetro	910 mm
Ø	
Volumen del tubo	215 dm³
Tamaños	6500x2300x2300 mm (LxWxH)
Peso	3000 kg
Comentarios	Y.o.b. 2018
Remarks	*Capacity based at a condensing temperature of 42°C and an air inlet temperature of 30°C.
Stock	1



Description

Used Thermofin X-TACD.2-091-24-C-L-DE-BC-06

Used Thermofin X-TACD.2-091-24-C-L-DE-BC-06 air cooled condenser on NH3 build in 2018. Complete with 8 EBM-Papst S3G910-CS22-06 fans - 50/60 Hz - 1,55 kW - 800 RPM - diameter 910 mm and a total airflow of 138.000 m³/h. Capacity based at a condensing temperature of 42°C and an air inlet temperature of 30°C.

*All components of this used chiller will be tested on good working, leak free condition condensing blocks, compressors, fans, control panel, etcetera. Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your



Your partner for used commercial and
industrial refrigeration equipment

shipment.





