

Bitzer 4CC-6.2Y-40S

Specifications

| | |
|----------------------------|---------------------------|
| Marca | Bitzer |
| Tipo | 4CC-6.2Y-40S |
| Refrigerante | Freon |
| kW at -5°C/+40°C | 21,1 |
| kW at -10°C/+40°C | 17,4 |
| kW at -20°C/+40°C | 11,4 |
| kW at -30°C/+40°C | 7,0 |
| kW at -40°C/+40°C | 3,8 |
| kW at -45°C/+40°C | 2,5 |
| Sistema de nivel de aceite | ✓ |
| Mirilla | ✓ |
| m3 / h | 32,5 |
| Comentarios | Y.o.b. 2004 |
| Peso kg. | 90,5 |
| Tamaños | 460x500x380 mm (LxWxH) |
| Stock | 2 |



Description

Used Bitzer 4CC-6.2Y-40S

Used Bitzer 4CC-6.2Y-40S semi-hermetic reciprocating compressor on Freon. Complete with a Henry Technologies S-9130 oil level system AC&R and sight glass. The compressor has a displacement of 32,5 m³/h at 50 Hz & 39,2 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. *If requested we are happy to arrange your shipment.



