

DWM D4DH3-2500-AWM/D (x2) & 4GE-30Y-40P (x1)

Specifications

Marca	DWM
Tipo	D4DH3-2500-AWM/D (x2) & 4GE-30Y-40P (x1)
Refrigerante	Freon
kW at +10°C/+40°C	264,1
kW at 0°C/+40°C	185,4
kW at -5°C/+40°C	153,4
kW at -10°C/+40°C	125,7
kW at -20°C/+40°C	81,1
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Manómetros del Condensador	✓
Recipiente de líquido	✓
Recipiente de líquido ltr.	115
Separador de aceite	✓
Sistema de nivel de aceite	✓
La línea de líquido filtro secador	✓
m3 / h	226,3
Comentarios	Y.o.b. Bitzer: 2015
Comentarios	Capacities based on R22
Package / Rack	✓



Tamaños	2500x1500x1320 mm (LxWxH)
---------	------------------------------

Stock	1
-------	---

Description

Used DWM D4DH3-2500-AWM/D (x2) & 4GE-30Y-40P (x1)

Used DWM D4DH3-2500-AWM/D (x2) & Bitzer 4GE-30Y-40P (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with a Friga-Bohn RSH 115 liquid receiver, Friga-Bohn SHO180 2,5/8 oil separator, Friga-Bohn RH 14 oil reservoir, liquid line filter drier and pressure and safety switches/gauges. The compressor has a displacement of 226,3 m³/h. Capacities based on R22.
*Why choose for HOS BV? We are not only the largest used refrigeration specialist in Europe, but we also deliver all equipment including an extensive test, warranty and industrial cleaning.
*Optionally we can also perform a new paint job and arrange the logistics.





