

Bitzer 4EES-6Y-40S

Specifications

Marca	Bitzer
Tipo	4EES-6Y-40S
Refrigerante	Freon
kW at 0°C/+40°C	18,6
kW at -5°C/+40°C	15,4
kW at -10°C/+40°C	12,6
kW at -20°C/+40°C	8,1
kW at -30°C/+40°C	4,9
kW at -40°C/+40°C	2,7
kW at -45°C/+40°C	1,9
Sober Bancada	✓
Presostatos	✓
Recipiente de líquido	✓
Separador de aceite	✓
La línea de líquido filtro secador	✓
Mirilla	✓
Panel de control	✓
m3 / h	50 Hz - 22,7 m ³ /h / 60 Hz - 27,4 m ³ /h
Comentarios	Y.o.b. 2019
Tamaños	1030x650x920 mm (LxWxH)
Stock	2





Description

Used Bitzer 4EES-6Y-40S

Used Bitzer 4EES-6Y-40S semi-hermetic reciprocating compressor set on Freon build in 2018. Complete with a liquid receiver, oil separator, pressure and safety switch and a control cabinet with a Carel EVD evolution controller. The compressor has a displacement of 22,7 m³/h at 50 Hz & 27,4 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase.

*If requested we are happy to arrange your shipment.



Bitzer BITZER KÜHLMASCHINENBAU GMBH Made in Germany		Typ 4EES-6Y-40S S.Nr. 1696309712			
Nennspannung	Frequ.	Max.Betr.strom	Anlaufstrom	Fördervol.	Drehzahl
V Δ 3Ph~ V Y 3Ph~	Hz	A (Δ) A (Y)	A (Δ) A (Y)	m³/h	min⁻¹
220-240 380-420	50	23,7 13,6	108 62,2	22,7	1450
265-290 440-480	60	23,7 13,6	108 62,2	27,4	1750
IP 65		ND/HD max. 19 / 32 bar			

