

Sabroe SAB 128 HF MK4 man VI

Specifications

Marca	Sabroe
Tipo	SAB 128 HF MK4 man VI
Refrigerante	Freon
kW at +10°C/+40°C	538,5
kW at 0°C/+40°C	383,5
kW at -5°C/+40°C	320,3
kW at -10°C/+40°C	265,1
kW at -20°C/+40°C	227,0
kW at -30°C/+40°C	152,2
kW at -40°C/+40°C	94,9
Piston Descargador	✓
Control de capacidad	✓
Sober Bancada	✓
Manómetros de Presion	✓
Separador de aceite	✓
Mirilla	✓
Panel de control	✓
m3 / h	455,0
Comentarios	Y.o.b. 2005
Tamaños	2400x1400x2050 mm (LxWxH)
Stock	2



Description

Used Sabroe SAB 128 HF MK4 man VI

Used Sabroe SAB 128 HF screw compressor unit on Freon. Complete with a Leroy Somer electric motor - 50 Hz - 132 kW - 2975 RPM, Sabroe OHU 4119 D oil separator with a volume of 270 liter, HS Cooler 0WRF 1210A2 oil cooler, oil pump and a control cabinet. The compressor has a displacement of 455 m³/h at 50 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.







