

Bitzer 6F-50.2Y-40P (x4)

Specifications

Marca	Bitzer
Tipo	6F-50.2Y-40P (x4)
Refrigerante	Freon
kW at 0°C/+40°C	486,6
kW at -5°C/+40°C	405,3
kW at -10°C/+40°C	334,5
kW at -20°C/+40°C	220,0
kW at -30°C/+40°C	102,3
kW at -40°C/+40°C	74,5
Piston Descargador	✓
Control de capacidad	✓
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Manómetros del	✓
Condensador	
Recipiente de líquido	✓
Recipiente de líquido ltr.	473
Separador de aceite	✓
Sistema de nivel de	✓
aceite	
La línea de líquido filtro	✓
secador	
Mirilla	✓
Valvula Solenoide	✓
Panel de control	✓



	Hz - 732 m ³ /h
Comentarios	50 Hz 606,4 m ³ /h / 60
Package / Rack	✓
Tamaños	4110x1300x2100 mm (LxWxH)
Stock	1

Description

Used Bitzer 6F-50.2Y-40P (x4)

Used Bitzer 6F-50.2Y-40P (x4) semi-hermetic reciprocating compressor rack on Freon. Complete with a Bitzer FS4752 liquid receiver with a volume of 473 liter, AC&R S-5414-CE oil separator, ESK Schultze OSA-11 oil reservoir, pressure and safety switches/gauges, capacity control, unloaded start and a control cabinet. The compressor rack has a total displacement of 606,4 m³/h at 50 Hz & 732 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *If requested we are happy to arrange your logistics.









