

Bitzer 4T-12.2 Y (x2) & 4V-10.2 Y (x2)

Specifications

Marca	Bitzer
Tipo	4T-12.2 Y (x2) & 4V-10.2 Y (x2)
Refrigerante	Freon
kW at 0°C/+40°C	119,0
kW at -5°C/+40°C	98,6
kW at -10°C/+40°C	81,0
kW at -20°C/+40°C	52,8
kW at -30°C/+40°C	32,0
kW at -40°C/+40°C	17,0
Sober Bancada	✓
Presostatos	✓
Separador de aceite	✓
Sistema de nivel de aceite	✓
La línea de líquido filtro secador	✓
Mirilla	✓
m3 / h	50 Hz - 144,86 m³/h / 60 Hz - 174,8 m³/h
Comentarios	Y.o.b. 2003 (s.nr 1664905588) y.o.b. 2001 (s.nr 66017473)
Package / Rack	✓
Tamaños	2400x850x1730 mm (LxWxH)



Stock

1

Description

Used Bitzer 4T-12.2 Y (x2) & 4V-10.2 Y (x2)

Used Bitzer 4T-12.2 Y (x2) & 4V-10.2 Y (x2) semi-hermetic reciprocating compressors rack on Freon. Complete with a Henry Technologie S-1902-CE with a volume of 8,1 liters, Henry Technologies S-9108U-CE oil reservoir, pressure and safety switches, oil level system and a liquid line filter drier. The compressors have a total displacement of 144,86 m³/h at 50 Hz and 174,8 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





