

Bitzer 6FE-40Y-40P (x7) & 6FE-44Y-40P (x1)

Specifications

Marca	Bitzer
Tipo	6FE-40Y-40P (x7) & 6FE-44Y-40P (x1)
Refrigerante	Freon
Refrigerant type	R134A
kW at 0°C/+40°C	627,2
kW at -5°C/+40°C	506,4
kW at -10°C/+40°C	404,8
kW at -20°C/+40°C	246,4
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Manómetros del	✓
Condensador	
Separador de aceite	✓
Sistema de nivel de aceite	✓
La línea de líquido filtro secador	✓
Panel de control	✓
m3 / h	1216
Comentarios	Y.o.b. 2013
Comentarios	*Capacity based on Freon type: R134A
Package / Rack	✓



Tamaños	Compressor set 1: 3950x1850x1950 mm (LxWxH) Compressor set 2: 3950x1850x2050 mm (LxWxH)
Stock	1

Description

Used Bitzer 6FE-40Y-40P (x7) & 6FE-44Y-40P (x1)

Used Bitzer 6FE-40Y-40P (x7) & 6FE-44Y-40P (x1) semi-hermetic reciprocating compressors on Freon. Complete with an oil separator, oil reservoir, brazed heat exchanger, electric oil level system AC&R, pressure and safety switches/gauges, liquid line filter drier, 8x Danfoss frequency converters and a control cabinet with multiple controllers and displays. The compressors have a total displacement of 1216 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.











