


Grasso V 700

Specifications

Marca	Grasso
Tipo	V 700
Refrigerante	NH 3 (ammonia)
kW at 0°C/+40°C	549,0*
kW at -10°C/+40°C	367,0* (-10°C/+35°C)
Piston Descargador	✓
Control de capacidad	✓
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Mirilla	✓
Panel de control	✓
m3 / h	636 m ³ /h
Comentarios	Y.o.b. 2013
Comentarios	* Based on: 0 K subcooling, 2 K superheat (non-useful).
Package / Rack	✓
Tamaños	2600x1250x1600 mm (LxWxH)
Stock	1



Description

Used Grasso V 700

Used Grasso V 700 Package NH3 (ammonia) on a steel base frame. Complete with a Grasso V 700 reciprocating compressor, Weg 315S/M-06 electric motor - 50/60 Hz - 132 kW - 990/1190 RPM, pressure and safety switches/gauges and a Gea Grasso Maintenance Monitor. The compressor has a displacement of 636 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. *If requested we are happy to arrange your shipment.

