

Güntner GFHV FD 090.2NF/12E-52

Specifications

Marca	Güntner
Tipo	GFHV FD 090.2NF/12E-52
Tipo de producto	Drycooler
Capacidad kW	111,5*
Número de aficionados	2
RPM de los ventiladores	830
Refrigerante	Glycol
Flujo de aire in m ³ /h	41.100
ventiladores de diámetro	910 mm
Ø	
Superficie (m2)	319,4
Volumen del tubo	60,8 dm ³
Tamaños	4270x1105x1840 mm (LxWxH)
Comentarios	Y.o.b. 2023
Remarks	*Capacity explained in the description
Stock	1



Description

Used Güntner GFHV FD 090.2NF/12E-52

New Güntner GFHV FD 090.2NF/12E-52 drycooler built in 2023. Complete with 2 EBM-Papst S3G910-CS35-68 fans - 50/60 Hz - 1,55 kW - 830 RPM - diameter 910 mm and a total airflow of 41.100 m³/h.

*Capacity based on the following:
 Air inlet/outlet temperature: 25°C/33,2°C
 Medium Inlet/outlet temperature: 40°C/35°C
 Volume flow: 20,9 m³/h
 Medium: Glycol 34%.

Capacity of 216,8 kW based on the following:
 Air inlet/outlet temperature: 25°C/40,9°C

Medium Inlet/outlet temperature:
60°C/40°C

Volume flow: 10,2 m³/h

Medium: Glycol 34%.

*All components of this used condenser will be tested on adequate functionality, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can arrange your shipment.





