

# Güntner GFHV FD 090.2NF/12E-52

## Specifications

Marca	Güntner
Tipo	GFHV FD 090.2NF/12E-52
Tipo de producto	Drycooler
Capacidad kW	111,5*
Número de aficionados	2
RPM de los ventiladores	825
Refrigerante	Glycol
Flujo de aire in m <sup>3</sup> /h	41.100
ventiladores de diámetro	910 mm
Ø	
Superficie (m <sup>2</sup> )	319,4
Volumen del tubo	60,8 dm <sup>3</sup>
Tamaños	4260x1140x1840 mm (LxWxH)
Comentarios	Y.o.b. 2021
Stock	1



## Description

### Used Güntner GFHV FD 090.2NF/12E-52

New Güntner GFHV FD 090.2NF/12E-52 drycooler built in 2021. Complete with 2 EBM-Papst S3G910-CS22-09 fans - 50/60 Hz - 1,55 kW - 825 RPM - diameter 910 mm and a total airflow of 41.100 m<sup>3</sup>/h.

\*Capacity based on the following:

Air inlet/outlet temperature:  
25°C/33,2°C.

Medium Inlet/outlet temperature:  
40°C/35°C.

Volume flow: 20,9 m<sup>3</sup>/h.

Medium: Glycol 34%.

Capacity of 216,8 kW based on the following:

Air inlet/outlet temperature:  
25°C/40,9°C.

Medium Inlet/outlet temperature:  
60°C/40°C.

Volume flow: 10,2 m<sup>3</sup>/h.

Medium: Glycol 34%.

\*All components of this used condenser will be tested on adequate functionality, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can arrange your shipment.



