

# Bitzer Bitzer 4ESL-9K-40S (x1) & Bitzer 4NCS-20.2Y-40P (x1) Condensing Unit

## Specifications

Marca	Bitzer
Tipo	Bitzer 4ESL-9K-40S (x1) & Bitzer 4NCS-20.2Y-40P (x1) Condensing Unit
Refrigerante	CO2
Refrigerant type	CO2 / Propane
kW at -40°C/+40°C	27,2*
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Mirilla	✓
Panel de control	✓
m3 / h	50 Hz - 71,8 m <sup>3</sup> /h
Comentarios	Y.o.b. 2007 (s.nr 1673005641) & y.o.b. 2014 (s. nr 1687106563)
Comentarios	*Capacity based on an evaporating temperature of -35°C
Condensing Unit	✓
Tamaños	5150x1310x1610 mm (LxWxH)
Stock	1



## Description

### Used Bitzer Bitzer 4ESL-9K-40S (x1) & Bitzer 4NCS-20.2Y-40P (x1) Condensing Unit

Used Bitzer condensing unit on CO2/Propane. Complete with 1 Bitzer 4ESL-9K-40S (CO2) & 1 Bitzer 4NCS-20.2Y-40P (Propane) semi-hermetic reciprocating compressors, Güntner GVHGX 080.1B/2-LS.E condenser with 2 Ziehl-Abegg fans - diameter 800 mm, 2 brazed heat exchangers, pressure and safety gauges and a control cabinet.

The Bitzer 4NCS-20.2Y-40P is on the high pressure side of the system and runs on -5°C/+40°C with a capacity of 33,8 kW.

The Bitzer 4ESL-9K-40S is on the low

pressure side of the system and runs on  $-35^{\circ}\text{C}/-5^{\circ}\text{C}$  with a capacity of 27,2 kW.

\*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also arrange the logistics.





