

Bitzer HSK 7451-70-40P (x2) Condensing unit

Specifications

Marca	Bitzer
Tipo	HSK 7451-70-40P (x2) Condensing unit
Refrigerante	Freon
kW at 0°C/+40°C	345,5
kW at -5°C/+40°C	284,2
kW at -10°C/+40°C	231,7
kW at -20°C/+40°C	149,2
Piston Descargador	✓
Control de capacidad	✓
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Recipiente de líquido	✓
Recipiente de líquido ltr.	200
Separador de aceite	✓
Mirilla	✓
Valvula Solenoide	✓
m3 / h	384 m ³ /h at 50 Hz & 460 m ³ /h at 60 Hz
Comentarios	Y.o.b. 2013
Condensing Unit	✓
Tamaños	6750x2200x2420 mm (LxWxH)
Stock	3



Description

Used Bitzer HSK 7451-70-40P (x2) Condensing unit

Used Fredvic UMC 2x700 VSMT condensing unit on Freon. Complete with 2 Bitzer HSK 7451-70-40P semi-hermetic screw compressors, condenser with 4 EBM-Papst A6D800-AD01-01 fans - 50 Hz - 1,94/1,21 kW - 880/670 RPM - diameter 800 mm, Frigo-Mec liquid receiver, Bitzer oil separator, brazed heat exchanger for heat recovery, ABB ACH550-01-125A-4+B055 frequency converter and a control cabinet with a Carel controller. The compressors have a total displacement of 384 m³/h at 50 Hz & 460 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist



in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.
*Optional we can also arrange the logistics.











