

Bitzer 6F-50.2Y-40P Condensing unit

Specifications

Marca	Bitzer
Tipo	6F-50.2Y-40P Condensing unit
Refrigerante	Freon
kW at 0°C/+40°C	121,7
kW at -5°C/+40°C	101,3
kW at -10°C/+40°C	83,6
kW at -20°C/+40°C	55,0
kW at -30°C/+40°C	33,9
kW at -40°C/+40°C	18,6
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Recipiente de líquido	✓
Recipiente de líquido ltr.	70
Acumulador de succión	✓
Separador de aceite	✓
La línea de líquido filtro secador	✓
Mirilla	✓
Panel de control	✓
m3 / h	151,6 m ³ /h at 50 Hz & 183 m ³ /h at 60 Hz
Comentarios	Y.o.b. 2013
Condensing Unit	✓
Tamaños	3240x1100x2320 mm (LxWxH)



Stock

3

Description

Used Bitzer 6F-50.2Y-40P Condensing unit

Used Fredvic UM 500 MT/S condensing unit on Freon. Complete with a Bitzer 6F-50.2Y-40P semi-hermetic reciprocating compressor, condenser with 3 EBM-Papst fans - 50 Hz - 1,94/1,21 kW - 880/670 RPM, OCS liquid receiver with a volume of 70 liter, suction accumulator, oil separator, liquid line filter drier, pressure and safety switches/gauges and a control cabinet. The compressor has a displacement of 151,6 m³/h at 50 Hz & 183 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also arrange the logistics.







