

# Bitzer 4DC-7.2Y-40S

## Specifications

Marca	Bitzer
Tipo	4DC-7.2Y-40S
Refrigerante	Freon
kW at 0°C/+40°C	21,1
kW at -5°C/+40°C	17,5
kW at -10°C/+40°C	14,4
kW at -20°C/+40°C	9,3
kW at -30°C/+40°C	5,5
kW at -40°C/+40°C	2,8
Piston Descargador	✓
Sober Bancada	✓
Recipiente de líquido	✓
Recipiente de líquido ltr.	39 L
La línea de líquido filtro secador	✓
Mirilla	✓
m <sup>3</sup> / h	50 Hz - 26,9 m <sup>3</sup> /h / 60 Hz - 32,4 m <sup>3</sup> /h
Comentarios	Y.o.b. 2004
Tamaños	1370x600x1730 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 4DC-7.2Y-40S

Used Bitzer 4DC-7.2Y-40S semi-hermetic reciprocating compressor on Freon. Complete with a Bitzer FS 402 liquid receiver with a volume of 39 liters, liquid line filter drier and a sight glass. The compressor has a displacement of 26,9 m<sup>3</sup>/h at 50 Hz & 32,4 m<sup>3</sup>/h at 60 Hz.

\*All components of this used evaporator will be tested on good working, leak free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.





